



安规 X 电容认证列表

国家	认证组织	标准号	证书号	额定电压 (VAC)
美国/加拿大		UL 60384-14	E481614	310 / 305 / 300 / 275 / 250
德国		En 60384-14	40050231	310 / 305 / 300 / 275 / 250
欧盟		En 60384-14	40050231	310 / 305 / 300 / 275 / 250
中国		IEC60384-14	CQC19001219393	310 / 305 / 300 / 275 / 250



2018/8/20

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT - COMPONENT | UL Product iQ

UL Product iQ™



FOWX2.E481614 - FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT - COMPONENT

Fixed Capacitors for Use in Electronic Equipment - Component

See General Information for Fixed Capacitors for Use in Electronic Equipment - Component

DONGGUAN CIGU ELECTRONIC TECHNOLOGY CO LTD

E481614

3A, Bldg D, No. 29 Baohong Rd, Baotangxia,
Baotun Community, Houjie Town
Dongguan, Guangdong 523961 CHINA
Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
CD	X1/Y1	X1: 440Vac; Y1: 400/300/250Vac	10 to 4700 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85
CE	X1/Y2	X1: 400Vac; Y2: 300/250/125Vac	100 to 10000 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85

Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
MPX	X2	310/305/ 300/275/250 ac	0.0022 to 2.2 (K: +/-10%)	—	-40	+110

Marking: Company name or trademark  and type designation.

Last Updated on 2019-04-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certification Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include the following copyright notice: "© 2019 UL LLC"

✓ Accept

Learn More

<https://ul.com/capacitor-component.html?as=27570>

4/4



FOWX2.E481614 - FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT - COMPONENT

Fixed Capacitors for Use in Electronic Equipment - Component

See General Information for Fixed Capacitors for Use in Electronic Equipment - Component

DONGGUAN CIGU ELECTRONIC TECHNOLOGY CO LTD

E481614

3A, Bldg D, No. 29 Baohong Rd, Baotangxia,
Baotun Community, Houjie Town
Dongguan, Guangdong 523961 CHINA

Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
CD	X1/Y1	X1: 440Vac; Y1: 400/300/250Vac	10 to 4700 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85
CE	X1/Y2	X1: 400Vac; Y2: 300/250/125Vac	100 to 10000 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85

Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
MPX	X2	310/305/ 300/275/250 ac	0.0022 to 2.2 (K: +/-10%)	—	-40	+110

Marking: Company name or trademark  and type designation.

Last Updated on 2019-04-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



VDE Prüf- und Zertifizierungsinstitut

ZEICHENGENEHMIGUNG MARKS APPROVAL

Dongguan Cigu Electronic
Technology Co., Ltd
3A, Bldg. D, No. 29, Baohong Rd.
Baotangxia, Baotun Comm., Houjie Town
523961 DONGGUAN, Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

**Festkondensator zur Unterdrückung elektromagnetischer
Störungen, geeignet für Netzbetrieb**

**Fixed capacitor for electromagnetic interference
suppression and connection to the supply mains**

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60384-14 (VDE 0565-1-1):2014-04; EN 60384-14:2013-08
DIN EN 60384-14/A1 (VDE 0565-1-1/A1):2017-04; EN 60384-14:2013/A1:2016
IEC 60384-14:2013
IEC 60384-14:2013/AMD1:2016



Aktenzeichen: 5020144-4670-0003 / 260116

File ref.:

Ausweis-Nr. 40050231

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2019-06-19

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

R. Nickel

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>





产品认证证书

证书编号: CQC19001219393

申请人名称及地址

东莞市瓷谷电子科技有限公司
东莞市厚街镇宝屯社区宝塘厦宝宏路 29 号 D 栋 3A

制造商名称及地址

东莞市瓷谷电子科技有限公司
东莞市厚街镇宝屯社区宝塘厦宝宏路 29 号 D 栋 3A

生产企业名称及地址

汕头市信音电子科技有限公司 (V020609)
汕头市龙湖区龙盛工业区盛业街 6 号 E 幢第 2、3 层

产品名称和系列、规格、型号

抑制电源电磁干扰用固定电容器

MPX; 标称电容量: 0.0022 μ F~2.2 μ F; 额定电压: AC 250/275/300/305/310V; 电容器类别:
X2; 标称电容量的允许偏差: $\pm 10\%$ (K); 气候类别: 40/110/56; 阻燃性类别: B

产品标准和技术要求

IEC60384-14:2013+AMD1:2016

认证模式

产品型式试验+获证后监督

上述产品符合 CQC11-471112-2015 认证规则的要求, 特发此证。
发证日期: 2019 年 05 月 30 日 有效期至: 2024 年 04 月 15 日
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

主任: 陆楠



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070
<http://www.cqc.com.cn>

C 0146669



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19001219393

NAME AND ADDRESS OF THE APPLICANT

Dongguan Cigu Electronic Technology Co., Ltd
3A, Bldg. D, No. 29, Baohong Rd, Baotangxia, Baotun Community, Houjie Town, 523961 Dongguan,
Guangdong,China

NAME AND ADDRESS OF THE MANUFACTURER

Dongguan Cigu Electronic Technology Co., Ltd
3A, Bldg. D, No. 29, Baohong Rd, Baotangxia, Baotun Community, Houjie Town, 523961 Dongguan,
Guangdong,China

NAME AND ADDRESS OF THE FACTORY

Shantou Xinyin Electronic Technology Co. Ltd. (V020609)
2-3 Floor, E Building, No.6,shengye, Street, Longsheng Industrial Zone, 515065 LONGHU DISTRICT,
SHANTOU CITY, Guangdong, CHINA

PRODUCT NAME, MODEL AND SPECIFICATION

Fixed capacitor for electromagnetic interference suppression and connection to the supply mains
MPX; 标称电容量: 0.0022 μ F~2.2 μ F; 额定电压: AC 250/275/300/305/310V; 电容器类别: X2;
标称电容量的允许偏差: $\pm 10\%$ (K); 气候类别: 40/110/56; 阻燃性类别: B

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

IEC60384-14:2013+AMD1:2016

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification
rules of CQC11-471112-2015.

Valid from: May.30,2019

Valid until: Apr.15,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing
certification body until the expiry date.

President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0146669